

DID YOU KNOW:

% of GERMS **BACTERIA** & VIRUSES are transmitted by the surfaces

webmd.com WE TOUCH





# Technology Comparison

You may have already heard of other types of clean air technology, however we'd like to show you a quick comparison of systems.

DEN

# **UV Bulb Comparison**

BR


#### STRUCTURE USING "Germicidal UV" bulb

# KITCHEN BR BR UV unit

a/c unit

STUDY

STRUCTURE USING "Air Scrubber Plus®"



TECHNOLOGY CO

NOLOGY COMPARISON	Using UV Bulb	Using AirScrubber PLUS®	AirScrubber PLUS®	
Control Space	0.95 ft <sup>3</sup>	16,000 ft <sup>3</sup>		
Microbe Reduction (Entire Structure)	No	Yes		
Particulate reduction (Entire Structure)	No	Yes		
Odor reduction	No	Yes		

# Passive Technology Comparison

The idea behind passive technology is to systematically circulate the air in the home through a filtration system. However, this system fails to clean surfaces, especially those that have been touched. With the Air Scrubber Plus® the air as well as all surfaces in the structure

(Entire Structure)



Can an Electrostatic Filter suck bacteria from...

> ...a door knob? ...a countertop?

> > ...any surface?








Tested by the most highly respected labs in the industry.

# **Sandia National Laboratory**


Dr. Jill Bieker Spring 2006





# 🗱 KSU Avian Flu (H5N8 Summary)

Stainles Steel Coupon - Percent Kill on Surfaces - After Exposure to RCI Technology Dr. James Marsden - Kansas State University 2006






Test data from an Invitro Fertilization Lab in a Large Midwestern Hospital Clean Room in USA.

# **Air Quality Survey**

Test data as received from:

# OB/GYN-IVF Lab

June 8, 2006



Loc	Class	Before/m3	After/m3	Imp %
01	5	1391.4	77.7	94%
02	5	692.2	21.1	97%
03	5	621.5	7.1	99%
04	5	374.3	7.1	98%
05	6	11,569.1	2,366.1	80%
06	6	22,236.5	332.0	99%
07	7	337,161.9	165,484.6	51%
08	7	249,121.4	153,887.2	38%
09	8	1,614,245.0	334,401.6	79%
10	8	1,304,842.0	373,078.3	71%
11	7	247,614.7	53,614.7	78%
12	7	203,518.4	50,302.2	75%

All particle counts were taken in accordance with ISO 14644-1 standards.

### **Microbial Colonies**

Before and After installation of:




LOCATION BEFORE AFTER 1-2 Horizontal Flow Clean Bench 0 0 3-4 Horizontal Flow Clean Bench 0 0 Main Clean Room 0 14 **Operating Room** 0 9 9-10 Hallway 27 11-12 Ante Room 23 15

# Research Based upon:

- Particulate count/m3 measured @ 0.5 um Typical office 2-3 million/m3 @ 0.5 um
- Before and After Data using: Two 9" Air Scrubber Plus® units in A/C ducts.





# Provides 24hr a Day Treatment

Kills germs on surfaces like doorknobs, toilets, kitchen counters and in pet areas. Air Scrubber Plus® can tackle odors caused by Smoke, Pets and Food.



#### **Reduce Everyday Odors**

# **Home Improvement Odors**

- Construction Projects
- Paint
- Glue
- Plywood









Tested by the most highly repected labs in this industry.

# **Kansas State University**

### Dr. James Marsden

Regents Distinguished Profesor Microbial Reduction on Surfaces (Mold. Bacteria & Virus)

# **University of Cincinnati**

### Dr. Sergey Grinshpun

Department Head,


Center for Health-Related Aerosol Studies, Department of Environmental Health Reduction of the Aerosol Particle

Concentration Airborne Microbial Reduction (Virus)

REDUCES APPROXIMATELY 90% OF AIRBORNE MIRCO ORGANISMS.

# 🗱 Kansas State University Testing

Ability of Unique Photocatalytic Device to Reduce Microbial Populations on Surfaces in 24hours.



Air Scrubber Plus® technology has been studied in controlled university testing for reduction of particulate in the air and contaminants on surfaces. Help protect your home and family against dust, allergens, mildew, smoke, odors, and odor-causing bacteria easily and conveniently with Air Scrubber Plus® technology

'Testing on behalf of activTek Environmental by Dr. James Marsden, at Kansas State University was conducted to determine the effectiveness of ActivePure® (RCI) Technology for the inactivation of Staph (Staphylococcus aureus), MRSA (Antibiotic Resistant Staph), E. coli (Escherichia coli), Bacillus spp., Streptococcus spp., Pseudomonas aeruginosa, Listeria monocytongenes, Candida albicans, and black mold on stainless steel surfaces at divers contact times in a controlled airflow cabinet. Further testing was conducted for activTek Environmental at the University of Cincinnati Center for Health-Related Aerosol Studies to investigate the novel air purification technique combining aerosol/bioaerosol control mechanisms of unipolar ion emission and photocatalytic oxidation promoted by the ActivePure® (RCI) technique.



# Clean Environment Technologies

The Environmental Protection Agency ranks indoor air pollution among the top five environmental health risks and states "The best way to address this risk is to control or eliminate the sources of pollution...". Working to reduce or eliminate pollution at its source is the foundation of the Air Scrubber's air purification line. We provide environmental conditioning products that actively work out in the environment, taking the solution to the source, where it's needed most. Air Scrubber Plus® products utilize three innovative, active technologies to clean and disinfect the air of homes and offices: ActivePure Technology, ozone and ionization.


### **ActivePure Technology**

The ActivePure process involves a target surface; in this case a honeycomb cell coated with our proprietary formulation of non-nano titanium dioxide and several transition elements. A broad spectrum UV light source of 185-400 nm is located adjacent to the "target" cell. Oxygen and water molecules in the air react with the UV and coated cell to produce superoxide ions, hydroxyls and Hydrogen peroxide. Hydroxyls, peroxide and even ozone are among the strongest oxidizers known.



# Installed Air Scrubber Plus®

O<sup>3</sup> Concentration in Application



#### Ozone

Ozone is in the air we breathe every day. Globally, ozone has a long history as a disinfectant. We use it in America to purify our municipal drinking water, swimming pools and spas. Ozone is widely used in the heating, ventilation, and air conditioning industry (HVAC) for disinfection. It has been successfully used for many years in homes or office areas to destroy mold, mildew, fungi and smoke odors. Air Scrubber Plus® products, which have been designed to create ozone, are safe when installed and used properly. Induct units provide control of many odors and microorganisms while maintaining levels well below the US EPA exposure limits.

### Ionization

lons do not form on their own, but are created by the effect of energy. Energy sources that create ions are the sun's radioactivity, electricity, or friction. Negative ions are generally produced in large numbers in situations where water evaporates. After a rainstorm, the air will typically be rich in negative ions. This is nature's way of cleaning the air. Air Scrubber Plus® products emulate nature by cleaning the air with negative ions created electrically and/or through friction.

California Environmental Protection Agency



Air Scrubber Plus, model A1013C, has been tested and certified to comply with the California Air Resources Board requirements. ARB certification number is 1853.









WITH CENTILED STACE TECHNOLOGI

www.AirScrubberPlus.com

Air Scrubber Plus® Corporate Sales & Support Office

2524 Broad Street P.O. Box 2460 Camden, SC 29020 803-424-0103

#### Regional Office's Nationwide

For the nearest office, call 803-424-0103







